



**PRO**  
ACCESSORIES  
AUSTRALIA

# AVON TYRES



















# Fitment Chart



ROAD

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Kawasaki</b>					
VN 800 B Classic, Drifter	1996 2004	2.0 bar (29psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom (also WW)	140/90B16 77H AM42 Venom (also WW)
VN 900 Vulcan Classic / LT	2005 -	-	-	130/90-16 No Avon Tyre Fitment for this Model	180/70-15 No Avon Tyre Fitment for this Model
VN 900 Vulcan Custom	2006 -	-	-	80/90-21 No Avon Tyre Fitment for this Model	180/70-15 No Avon Tyre Fitment for this Model
Ninja ZX-9 R	2000 2003	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV59 VP2 Sport	190/50ZR17 (73W) AV60 VP2 Sport
Z 900	1973 -	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
Z1 900	1974 1976	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
ZX-9 R Ninja	2000 2003	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
ZX-9 R (94-'97)Ninja	1994 1997	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
ZX-9 R (98-'99)Ninja	1998 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GPZ 900 R	- 1989	2.5 bar (36psi)	2.9 bar (42psi)	120/80-16 60V AM26 Roadrider	130/80-18 66V AM26 Roadrider
GPZ 900 R A	-	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	150/70ZR18 (70W) AV6-Storm
GPZ 1000 RX	1986 1990	2.5 bar (36psi)	2.9 bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
GTR 1000 Concours	1986 1993	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (59W) AV55 Storm	150/80ZR16 (71W) AV46-ST
GTR 1000 Concours	1994 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR18 (59W) AV55 Storm	150/80ZR16 (71W) AV46-ST
ZX1000 A Ninja	1986 1987	2.5 bar (36psi)	2.9 bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
Z1000 A, H, Mk2, R	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
Z1000 ST	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
Z 1000	2003 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
KZ 1000 J, R	1981 1984	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
KZ 1000 LTD	1981 1983	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90B16 74H AM42 Venom, MT90-16 74V AM26 Roadrider
KZ 1000 ST	1979 1983	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
ZX 10 Tomcat, Ninja	1988 1991	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV6-Storm
ZX10 R Ninja	2004 2005	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
ZX10 R Ninja	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV61 VP2 Xtreme (Track Use)	190/55ZR17 (75W) AV62 VP2 Xtreme (Track Use)
GPZ 1100 Unitrak, ZX-1100	1983 1984	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GPZ 1100, ABS, Ninja ZX-11	1989 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
Z 1100 GP	1983 1988	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
Z 1100 R	1984 1985	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	130/80-18 66V AM26 Roadrider
Z 1100 ST	1984 1985	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90B16 74H AM42 Venom, MT90-16 74V AM26 Roadrider
Zephyr 1100, ZR	1992 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR18 (59W) AV55 Storm	160/70R17 79V AV56 Storm
ZN 1100 Voyager XII, ZG1200	1984 1985	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	MT90-16 74V AM26 Roadrider
ZRX 1100	1996 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
ZRX 1100	1999 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
ZR-1200 C	1989 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
ZR-1100 D/G	1993 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
1200 Voyager XII, ZG1200	1986 2003	2.8 bar (40psi)	3.0 bar (44psi)	MT90B16 74H AM41 Venom (also WW)	150/90B15 80H AM42 Venom (also WW)
ZRX 1200 (All Models)	2001 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
ZX-12R, Ninja	2000 2003	2.9 bar (42psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	190/50ZR17 (73W) or 200/50ZR17 (73W) AV56 Storm
ZX-12R Ninja	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	200/50ZR17 (75W) AV56 Storm, AV60 VP2 Sport
ZZ-R 1200	2002 2005	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Z 1300 DF1	1979 2001	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	130/90-17 68V AM26 Roadrider
ZN 1300 Voyager	1983 1988	2.8 bar (40psi)	3.0 bar (44psi)	120/90-18 71H AM41 Venom	140/90B16 77H AM42 Venom
ZX-14 / ZZR1400	2005 -	2.9 bar (42psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport
1400 GTR Concours	2007 -	2.9 bar (42psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport
VN 1500 Vulcan, SE Spoke	1987 1999	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57H AM41 Venom (also WW)	150/90B15 80H AM42 Venom (also WW)
VN 1500 Classic / Fi	1996 -	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom (also WW)	150/80B16 77H AM42 Venom, 77V AM42 Venom (also WW)
VN 1500 Classic Tourer, Nomad,Fi	1998 2004	2.3 bar (33psi)	2.5 bar (36psi)	150/80-16 71H AM41 Venom	150/80B16 77H AM42 Venom
VN 1500 Drifter	1999 2004	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom (also WW)	150/80B16 77H AM42 Venom, 77V AM42 Venom (also WW)
VN 1500 Mean Streak	2002 2003	2.5 bar (36psi)	2.9 bar (42psi)	130/70R17 62V AV55 Storm	170/60ZR17 (72W) AV56 Storm
VN1600 Mean Streak	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	130/70R17 62V AV55 Storm	170/60ZR17 (72W) AV56 Storm
VN 1600 Vulcan Classic	2005 -	-	-	130/90-16 No Avon Tyre Fitment for this Model	170/70-16 No Avon Tyre Fitment for this Model
VN 1600 Vulcan Nomad	2005 -	-	-	150/80-16 No Avon Tyre Fitment for this Model	170/70-16 No Avon Tyre Fitment for this Model
VN 2000 Classic / LT	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	150/80R16 71V AV71 Cobra	200/60VR16 (79V) AV72 Cobra
<b>KTM</b>					
EGS 350	- 2005	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
400 Duke	1995 1997	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	150/60ZR17 (66W) AV60 Sport or 160/60ZR17 (69W) AV46-ST, AV60 Sport, VP2 Supersport
LSE 400	- 2005	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
620 Duke	1995 1998	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 AV55 Storm, AV59 VP2 Sport, VP2 Supersport, AM43 Distanzia	150/60ZR17 (66W) AV60 Sport, 66H AM44 Distanzia or 160/60ZR17 (69W) AV60 Sport, Supersport, 69H AM44 Distanzia
620 LC4 LSE	- 2005	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia
625 SMC	2004 -	2.0 bar (29psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
640 Duke, Duke 2	1999 2002	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV59 VP2 Sport, 58H AM43 Distanzia	150/60ZR17 (66W) AV60 Sport, 66H AM44 Distanzia
640 Duke 2 Limited Edition	2005 -	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm	160/70R17 79V AV56 Storm
640 LC4 Adventure	- -	-	-	90/90-21 No Avon Tyre Fitment for this Model	140/80-18 No Avon Tyre Fitment for this Model
SXC 620	1999 2005	2.2 bar (32psi)	2.5 bar (36psi)	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
640 AE Supermoto	1999 2005	2.2 bar (32psi)	2.5 bar (36psi)	120/70R17 58H AM43 Distanzia	160/60R17 69H AM44 Distanzia
Duke Last Edition	1999 2005	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
640 Supermoto LC4, LC4-E	1999 -	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
660 SMC	1999 -	2.2 bar (32psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
690 Supermoto	2007 -	2.4 bar (34 psi)	2.4 bar (34 psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
690 Duke	2008 -	2.4 bar (34 psi)	2.6 bar (37psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
950 Adventure / S	- -	2.4 bar (34 psi)	2.6 bar (37psi)	90/90-21 54V AM26 Roadrider	150/70-18 70V AM26 Roadrider
950 Supermoto / R	2005 -	2.4 bar (34 psi)	2.4 bar (34 psi)	120/70ZR17 (58W) AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV60 Sport, VP2 Supersport
990 Adventure / S	- -	2.4 bar (34 psi)	2.6 bar (37psi)	90/90-21 54V AM26 Roadrider	150/70-18 70V AM26 Roadrider
990 Super Duke / R	2005 -	2.4 bar (34 psi)	2.4 bar (34 psi)	120/70ZR17 (58W) AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV60 Sport, VP2 Supersport
1190 RC8	2008 -	2.4 bar (34 psi)	2.4 bar (34 psi)	120/70ZR17 (58W) AV61 VP2 Xtreme (Track Use)	190/55ZR17 (75W) AV62 VP2 Xtreme (Track Use)
<b>Laverda</b>					
500 Alpino, Montjuich,4T	- 2005	2.2 bar (32psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider	110/90-18 61V AM26 Roadrider
500 SFC/4T	- 2005	2.0 bar (29psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider	110/90-18 61V AM26 Roadrider
650 Diamante	1997 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
650 Ghost	1996 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
650 LYNX	2000 2005	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (55W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
650 Formula	1996 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
650 Sport	1992 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport

# Fitment Chart



ROAD

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front		Recommended Fitment Rear	
<b>Laverda</b>							
650 Sport Formula	1995 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport		170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport	
668 Ghost, (Legend, Strike, Diamanti)	1996 1997	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport		170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport	
668 Sport	1996 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
750 SF, G, SF3, SR	1973 1983	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
750 Sport / Formula, Caf�, Supersport	1997 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
750 Ghost / Strike	1997 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
750 Sport	1998 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1000 JOTA, RGS, SPORT, CORSA	1973 1989	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 SFC	1986 1989	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		130/80-18 66V AM26 Roadrider	
1000 SFC	2003 -	2.3 bar (33psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1200 Jota, Mirage, TS	1978 1982	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
<b>Moto Guzzi</b>							
V 35 I, II, Immoia	- 2000	2.2 bar (32psi)	2.6 bar (37psi)	90/90-18 51V AM26 Roadrider		100/90-18 56V AM26 Roadrider	
V 35 III	- 2000	2.2 bar (32psi)	2.6 bar (37psi)	100/90-18 54V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
V 35 TT	- 2000	2.0 bar (29psi)	2.5 bar (36psi)	3.00-21 51S AM43 Distanzia		4.60-18 64S AM44 Distanzia	
V 35C Custom	1991 2000	2.0 bar (29psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider, 56H AM41 Venom		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
V 50 C Custom	1987 2000	2.0 bar (29psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider, 56H AM41 Venom		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
V 50 I, II, III, Monza	1987 2000	2.0 bar (29psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider		100/90-18 56V AM26 Roadrider	
V 65 II, Florida, California	1986 1994	2.0 bar (29psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider, 56H AM41 Venom		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
V 65 SP, GT	- 2000	2.5 bar (36psi)	2.9 bar (42psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
V 65 TT, MK II Trail, NTX	1985 1987	2.0 bar (29psi)	2.5 bar (36psi)	3.00-21 51S AM43 Distanzia		4.60-18 64S AM44 Distanzia	
V65 Lario	1985 1987	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 54V AM26 Roadrider		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
750 / i.e Nevada	1991 -	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider, 56H AM41 Venom		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
750 Strada, S3	1994 1994	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
750 Targa	1991 1994	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
V 75	1987 1989	2.3 bar (33psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
V7, Special	- -	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider		4.00-18 64V AM26 Roadrider	
V7 Classic	2008 -	2.3 bar (33psi)	2.5 bar (36psi)	110/90-17 54V AM26 Roadrider		130/80-17 65V AM26 Roadrider	
V750ie Breva	2003 -	2.3 bar (33psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider		130/80-17 65V AM26 Roadrider	
850 Le Mans I, II	1976 1980	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider		4.00-18 64V AM26 Roadrider	
850 Le Mans III	1980 1985	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
850 T3, T4	- -	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
850 T5	1983 1984	2.3 bar (33psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider		MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider	
850 T5	1985 2000	2.3 bar (33psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 California II / III / C	1989 1993	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 S ,Convert J	1975 1983	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
1000 DAYTONA	1992 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm		160/60ZR18 (70W) AV56 Storm	
1000 DAYTONA RS	1996 1997	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1000 G 5	1978 1979	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
1000 Le Mans III / IV	1986 1989	2.3 bar (33psi)	2.5 bar (36psi)	120/80-16 60V AM26 Roadrider		130/80-18 66V AM26 Roadrider	
1000 Le Mans V	1989 1992	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 Le Mans, II, Ago, III, DMB	- 1989	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 Quota	1990 2000	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster		130/80-17 65T AM44 Distanzia, AM24 Gripster	
1000 S	1991 1993	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 SP	- 1986	2.3 bar (33psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		110/90-18 61V AM26 Roadrider	
1000 SP II	1986 1989	2.3 bar (33psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 SP III	1991 1993	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1000 V10 Centauro, GT, Sport	1996 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
Mille GT	1988 1991	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
1100 Breva	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1100 California - All Models	1997 -	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider		140/80ZR17 (69W) AV46-ST	
California EV Touring	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider		150/70-17 69V AM26 Roadrider	
1100 California Nevada Classic	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider		MT90-16 74V AM26 Roadrider	
1100 California Vintage	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider		140/70-17 66V AM26 Roadrider	
1100 Griso	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1100 Quota	1999 2000	2.5 bar (36psi)	2.9 bar (42psi)	90/90-21 54H AM43 Distanzia		130/80 R17 65H AM44 Distanzia	
1100 Sport	- 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm		160/60ZR18 (70W) AV56 Storm	
1100 Sport, 1100i	1996 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm		160/60ZR17 (69W) AV56 Storm	
V11 Sport, 1100	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport		170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport	
V11 Sport Naked, Scura, LeMans/NC, Caf� Sport	2001 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
1200 Stelvio	2008 -	-	-	110/90-19 No Avon Tyre Fitment for this Model		180/55-17 No Avon Tyre Fitment for this Model	
1200 Norge	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
MGS01 Serie	2004 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
MGS01 Serie Corsa	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
Griso	2004 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport		200/50ZR17 (75W) AV56 Storm, AV60 VP2 Sport	
Griso	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
<b>MV Augusta</b>							
750 F4, F4 S, SPR, Senna, Brutale, Strada	1998 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
750 GT, S, S America	1973 2000	2.2 bar (32psi)	2.5 bar (36psi)	100/90-18 56V AM26 Roadrider		120/90-18 65V AM26 Roadrider	
910 R Brutale	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV61 VP2 Xtreme (Track Use)		190/55ZR17 (75W) AV62 VP2 Xtreme (Track Use)	
910 / S Brutale	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
F4 1000 Tanburini / S / 1+1	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
F4 AGO	2003 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
<b>Norton</b>							
600 F1	1991 1992	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport		170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport	
600 F2, TT	- 1995	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport		170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport	
C 652 Combat	2001 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm		160/60ZR17 (69W) AV56 Storm	
C 652 SM International	1999 2004	2.5 bar (36psi)	2.9 bar (42psi)	110/70-17 54V AM26 Roadrider		130/70-17 62V AM26 Roadrider	
750 Commando	1970 1971	2.0 bar (29psi)	2.2 bar (32psi)	100/90-19 57V AM26 Roadrider		4.00-18 64V AM26 Roadrider (also 120/90-18 65V AM26 Roadrider)	
750 Interstate, Roadster	1972 2000	2.0 bar (29psi)	2.2 bar (32psi)	410-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)		4.10-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)	
850 Interstate, Roadster	1973 2000	2.0 bar (29psi)	2.2 bar (32psi)	410-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)		4.10-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)	
952 Commando	2004 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
961 SS Commando	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport		180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport	
<b>Royal Enfield</b>							
Bullet Electra 500	- -	1.9 bar (27psi)	2.0 bar (29psi)	90/90-19 52V AM26 Roadrider, 52H AM20		100/90-19 57V AM26 Roadrider	
Bullet Sixty-5	- -	1.9 bar (27psi)	2.0 bar (29psi)	3.25-19 54S TT Speedmaster MKII		3.50-19 57S Safety Mileage MKII	
Classic 350/500	- -	1.9 bar (27psi)	2.0 bar (29psi)	3.25-19 54S TT Speedmaster MKII		3.50-19 57S Safety Mileage MKII	

# Fitment Chart



ROAD

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Suzuki</b>					
DR 125	1986 1987	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	110/80-18 58S (also 410-18 60S) AM44 Distanzia
DR 125 SM	2007 -	2.0 bar (29psi)	2.3 bar (33psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
GZ 125 U	1996 2000	2.0 bar (29psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider	140/90-15 76H AM42 Venom
125 LC Intruder	- -	-	-	90/90-18 No Avon Tyre Fitment for this Model	130/90-15 No Avon Tyre Fitment for this Model
125 Marauder	- -	-	-	110/90-16 No Avon Tyre Fitment for this Model	130/90-15 No Avon Tyre Fitment for this Model
RA 125	1984 1984	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
RH 125 X F-H	1985 1987	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
TS 125 ER, R, X	1980 1981	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.00-18 64S AM44 Distanzia
TS 185 ER	1980 1981	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
DR 200 SE	2004 -	-	-	70/100-21 No Avon Tyre Fitment for this Model	100/90-18 No Avon Tyre Fitment for this Model
SB 200	1979 1980	-	-	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
TS 200 RM	1991 1994	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	120/80-18 62S AM44 Distanzia
TS 240 X J-K	- 2000	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
250 Bandit	1997 2000	2.0 bar (29psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV59 VP2 Sport	150/60ZR17 (66W) AV60 VP2 Sport
250 Goose	1991 1992	2.0 bar (29psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	130/70-17 62V AM26 Roadrider
GF 250 S	- 1985	2.0 bar (29psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GS 250 FW	1984 1984	2.0 bar (29psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GS 250 T	1980 1984	-	-	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
GSX 250 E	1980 1984	2.0 bar (29psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
GSX 250 X, U	- 2001	2.0 bar (29psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
GT 250	1973 1977	-	-	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
GT 250 X7	1977 -	-	-	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
GZ 250 S	1998 1999	2.0 bar (29psi)	2.5 bar (36psi)	110/90-16 59V AM26 Roadrider	140/90-15 76H AM42 Venom
GZ 250 Marauder	2005 -	2.0 bar (29psi)	2.5 bar (36psi)	110/90-16 No Avon Tyre Fitment for this Model	130/90-15 No Avon Tyre Fitment for this Model
RG 250 WE, WG, Gamma	1985 1989	2.0 bar (29psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
RGV 250	1991 1998	2.0 bar (29psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV59 VP2 Sport	150/60ZR17 (66W) AV60 VP2 Sport
RH 250 X	1984 1988	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
TS 250 ER	1974 1981	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
TS 250 X E-J	1985 1989	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
DR 350 N, SEV	1991 1996	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
DR 350 S, SE, SH	1990 1996	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S AM44 Distanzia
DR 350, S	1990 1999	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S AM44 Distanzia
DR 400 S	1980 2004	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
SP 370, SR 370	1980 2000	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
GT 380	1972 1977	2.0 bar (29psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider	100/90-18 56V AM26 Roadrider
DR-Z 400 S/E	2000 -	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
DR-Z 400 SM	2004 -	2.0 bar (29psi)	2.3 bar (33psi)	120/70-17 58V AM26 Roadrider	140/70-17 66V AM26 Roadrider
GS 400 E	1991 1992	2.0 bar (29psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	130/70-17 62V AM26 Roadrider
GSF 400 M, P, R, BANDIT LTD	1990 1995	2.3 bar (33psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	150/70-17 69V AM26 Roadrider
GSX 400	1982 1985	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GSX 400 E, ES, ET	1982 1985	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GSX 400 F, FD, Katana	1981 1985	2.0 bar (29psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GSX 400 F, FR	1988 1990	2.3 bar (33psi)	2.8 bar (40psi)	110/80ZR17 (57W) AV45-ST	140/80ZR17 (69W) AV46-ST
GSX 400 FS Inazuma	1997 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 Storm, AV60 VP2 Sport
GSX 400 FW	- 2000	2.3 bar (33psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GSX 400 L	- 2000	2.0 bar (29psi)	2.3 bar (33psi)	90/90-19 52V AM26 Roadrider	MT90-16 74V AM26 Roadrider
GSX 400 X	- 2000	2.3 bar (33psi)	2.5 bar (36psi)	110/80-17 57V AM26 Roadrider	130/80-17 65V AM26 Roadrider
GSX R 400	1984 1985	2.2 bar (32psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GSX R 400	1986 1987	2.3 bar (33psi)	2.8 bar (40psi)	110/80ZR17 (57W) AV45-ST	140/80ZR17 (69W) AV46-ST
GSX R 400 R, RSP	1989 1989	2.0 bar (29psi)	2.5 bar (36psi)	120/60ZR17 (55W) AV59 VP2 Sport	150/60ZR17 (66W) AV60 VP2 Sport
GSX R 400 R, RSP	1990 1993	2.0 bar (29psi)	2.5 bar (36psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
LS 400 Savage	1993 1994	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
RF 400 R, V	1992 1992	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
SP 400 T	1980 1982	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
VS 400 Intruder	- 2000	2.0 bar (29psi)	2.5 bar (36psi)	90/90-21 54H AM41 Venom	140/90-15 76H AM42 Venom
GS 450 L	1980 1988	2.0 bar (29psi)	2.3 bar (33psi)	90/90-19 52V AM26 Roadrider, 52H AM20	MT90-16 74V AM26 Roadrider, 74H AM21
500 RES	1979 1981	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
DR 500 S	1981 1983	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
GS 500 E	1984 1988	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GS 500 F, U, FU, E, EU	2001 -	2.0 bar (29psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	130/70-17 62V AM26 Roadrider
GS 500, U	1989 2000	2.0 bar (29psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	130/70-17 62V AM26 Roadrider
GT 500	1970 1975	2.0 bar (29psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
T 500	1976 1978	2.0 bar (29psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GS 550 D	1977 1980	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GS 550 L	1983 1986	2.0 bar (29psi)	2.3 bar (33psi)	110/90-16 59V AM26 Roadrider	MT90-16 74V AM26 Roadrider
GS 550 E, ES, LF	1983 1986	2.0 bar (29psi)	2.3 bar (33psi)	110/90-16 59V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GS 550 R, L, EM Katana	1986 2000	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GSX 550 E, ES, EF, EU	1983 1988	2.3 bar (33psi)	2.5 bar (36psi)	100/90-16 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
GT 550	1979 1982	2.0 bar (29psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
DR 600 S, SU, R, RU, Dakar	1988 1991	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
GSF 600 S, U, SU Bandit	1995 1999	2.3 bar (33psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
GSF 600, N, S, U, SU Bandit	2000 -	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSR 600	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX 600 F, FU, Katana	1998 2006	2.3 bar (33psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
GSX 600 F, Katana	1988 1997	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR17 (57W) AV45-ST	140/80ZR17 (69W) AV46-ST
GSX R 600	1997 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 600 N	1992 1993	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR17 (57W) AV45-ST	160/60ZR17 (69W) AV56 Storm
RF 600 R, RU, P, RR	1993 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
VS 600 Intruder	1994 1997	2.0 bar (29psi)	2.5 bar (36psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom
DL650 V-Strom	2004 -	2.5 bar (36psi)	2.7 bar (39psi)	110/80R19 59H AM43 Distanzia, 59V AV45-ST	150/70 R17 69H AM44 Distanzia, (69W) AV56 Storm
DR 650	1990 -	2.0 bar (29psi)	2.3 bar (33psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
GR 650 D, E, X	1983 1987	2.3 bar (33psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider
GS 650 L	1983 2000	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90B16 74H AM42 Venom, MT90-16 74H AM21, 74V AM26 Roadrider
GS 650 S Bandit	2005 2006	2.5 bar (36psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSF 650 A / SA Bandit	2007 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX 650F	2008 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
LS 650 P Savage	1986 2004	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
S40 Boulevard 650cc	2005 -	-	-	100/90-19 No Avon Tyre Fitment for this Model	140/80-15 No Avon Tyre Fitment for this Model
VV 650 S, SU	1999 2002	2.3 bar (33psi)	2.5 bar (36psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
SV 650 / S, SU, A, SA	2003 -	2.3 bar (33psi)	2.5 bar (36psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XF 650 Freewind	1997 2000	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57H AM43 Distanzia	130/80 R17 65H AM44 Distanzia

# Fitment Chart



ROAD

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Suzuki</b>					
VS 700 GLE, F, H Intruder	1985 1987	2.0 bar (29psi)	2.8 bar (40psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
DR 750 SJ, SK, SU, Big	1988 1992	2.0 bar (29psi)	2.5 bar (36psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
GS 750 D, (Spoked Wheels), E	1976 1979	2.2 bar (32psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GS 750 L Chopper	- -	2.2 bar (32psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GSX 750	1998 2003	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 Storm, AV60 VP2 Sport
GSX 750 ET, EX	1980 1981	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
GSX 750 F, Katana	1998 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
GSX 750 F K-S, Katana	1989 1997	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR17 (57W) AV45-ST	150/70ZR17 (69W) AV56 Storm
GSX 750 L, Katana	- -	2.2 bar (32psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20	MT90-16 74V AM26 Roadrider, 74H AM21
GSX 750 SZ Katana MK1	- -	2.0 bar (29psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
GSX R 750 F, G, H	1985 1987	2.5 bar (36psi)	2.9 bar (42psi)	110/80-18 58V AM26 Roadrider	150/70B18 70V AM42 Venom
GSX R 750 J & K SLINGSHOT	1988 1989	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 750 L & K SLINGSHOT, M	1990 1991	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 750 RK Special Edition	1989 1989	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 Storm, AV60 VP2 Sport
GSX R 750 WN, P	1992 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 750 WR, WS, SP	1994 1995	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 750 WT, V, W, X,	1996 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 750 Y, K1 -	2000 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GT 750	1972 1977	2.5 bar (36psi)	2.9 bar (42psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
VS 750 (Early 19" Front) Intruder	1985 1988	2.0 bar (29psi)	2.9 bar (42psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
VS 750 (Late 21" Front) Intruder	1987 1991	2.0 bar (29psi)	2.9 bar (42psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom
DR 800 S, SU	1990 1995	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
C50 Boulevard / T / Black 800cc	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
C800 Intruder	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
M800 Intruder	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
M50 Boulevard 800cc	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
S50 Boulevard 800cc	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
VL 800 Intruder LC, Volusia	2001 -	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
VS 800 (Early 21" Front) Intruder	1992 1999	2.3 bar (33psi)	2.5 bar (36psi)	80/90-21 48H AM41 Venom	140/90-15 76H AM42 Venom
VS 800 (Late 19" Front) Intruder	2000 2003	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
VX 800, U	1991 1997	2.3 bar (33psi)	2.5 bar (36psi)	110/80ZR18 (58W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
VZ 800 Marauder, Desperado	1997 2004	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom (also WW)	150/90B15 80H AM42 Venom (also WW)
VZ 800 Marauder M50	2008 -	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
GS 850 L, G	1981 1984	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
GS 850, E, L	1980 1988	2.3 bar (33psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
RF 900 R, RS2	1994 1997	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
SV 1000 S	2003 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
TL 1000 R	1998 2003	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
TL 1000 S	1996 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
DL 1000 V-Stream	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	110/80R19 59H AM43 Distanzia, 59V AV45-ST	150/70 R17 69H AM44 Distanzia, (69W) AV56 Storm
GS 1000	- -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GS 1000 D, E	- -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GS 1000 GL	1981 -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
GS 1000 HC, S, Seca II	1979 1980	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
GSX-R1000	2001 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX-R1000	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GS 1100 G	1987 1988	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GSX 1100 E (16" Rear)	- -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
GSX 1100 E (17" Rear)	- -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GSX 1100 E, ES, EF	1986 1988	2.5 bar (36psi)	2.9 bar (42psi)	110/90-16 59V AM26 Roadrider	130/90-17 68V AM26 Roadrider
GSX 1100 F, Katana	1988 1995	2.5 bar (36psi)	2.9 bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
GSX 1100 G	1991 1994	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (58W) AV55 Storm	160/70R17 79V AV56 Storm
GSX 1100 L	- -	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
GSX R 1100 K SLINGSHOT	1989 1989	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 1100 L, M, N	1990 1992	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX R 1100 WP-R-S-T	1993 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX-R 1100	1986 1988	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
GSF 1200 S, Bandit	2001 2005	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSF 1200 S / SA, Bandit	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSF 1200 S, SA, N, ABS Bandit	1996 2000	2.5 bar (36psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm	180/55ZR17 (73W) AV56 Storm
GSX 1200 Inazuma	1999 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 Storm, AV60 VP2 Sport
GSF 1250 S / SA Bandit	2007 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GSX 1300 B-King	2008 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	200/50ZR17 (75W) AV56 Storm, AV60 VP2 Sport
GSX R 1300 Hayabusa	1999 -	2.9 bar (42psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport
S83 Boulevard 1360cc	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	110/90-19 62H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
GSX 1400	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GV 1400 CAVALCADE LX, LXE	1985 1989	2.8 bar (40psi)	3.0 bar (44psi)	MT90B16 74H AM41 Venom (also WW)	150/90B15 80H AM42 Venom (also WW)
VS 1400 GLF, GLP Intruder	1986 2004	2.5 bar (36psi)	2.9 bar (42psi)	110/90-19 62H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
C90 Boulevard / T / Black 1500cc	2005 -	-	-	150/80-16 No Avon Tyre Fitment for this Model	180/70-15 No Avon Tyre Fitment for this Model
VL 1500 Intruder LC	1999 2004	-	-	150/80-16 No Avon Tyre Fitment for this Model	180/70-15 No Avon Tyre Fitment for this Model
M1600 Marauder / M95 Boulevard	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	130/70R17 62V AV55 Storm	170/60ZR17 (72W) AV56 Storm
VLR 1800 Intruder C1800R	2008 -	-	-	150/80R16 No Avon Tyre Fitment for this Model	240/55R16 No Avon Tyre fitment for this Model
M1800R Intruder / M109R Boulevard	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	130/70R18 63H AV71 Cobra	240/40VR18 (79V) AV72 Cobra
<b>Triumph</b>					
Bandit	1971 -	2.0 bar (29psi)	2.3 bar (33psi)	100/90-18 56V AM26 Roadrider	100/90-18 56V AM26 Roadrider
Speed Four	2003 2006	2.4 bar (34 psi)	2.7 bar (39psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
TT 600	2000 2004	2.4 bar (34 psi)	2.7 bar (39psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Speed Four 600	2005 2006	2.4 bar (34 psi)	2.7 bar (39psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
T 100 R Daytona 650	1972 1973	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
T 120 R, V Bonneville 650	1970 1973	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
T 140 E Bonneville 650	1980 1983	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	100/90-18 56V AM26 Roadrider
T 140 V Bonneville 650	1976 1979	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	100/90-18 56V AM26 Roadrider
T 140 V Tiger 650	1976 1978	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	100/90-18 56V AM26 Roadrider
TR 6 Thunderbird 650	1982 1983	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	110/90-18 61V AM26 Roadrider
TR 6 Tiger 650	1971 1972	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	110/90-18 61V AM26 Roadrider
Daytona 650	2005 2005	2.4 bar (34 psi)	2.7 bar (39psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Daytona 675 Triple	2006 -	2.4 bar (34 psi)	2.7 bar (39psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
750 Bonneville T140	1987 1990	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	110/90-18 61V AM26 Roadrider
750 Bonneville	1986 1988	2.0 bar (29psi)	2.3 bar (33psi)	410-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)	4.10-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)
750 Tiger	1986 1988	2.0 bar (29psi)	2.3 bar (33psi)	410-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)	4.10-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)

# Fitment Chart



**ROAD**

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Triumph</b>					
750 Trident	1991 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
750 TSS	1982 1983	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	100/90-18 56V AM26 Roadrider
750 TSX	1982 1983	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90B16 74H AM42 Venom, MT90-16 74V AM26 Roadrider
750 Daytona	1992 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
750 Speed Triple	1992 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
T 140 V Bonneville 750	1973 -	2.0 bar (29psi)	2.2 bar (32psi)	100/90-19 57V AM26 Roadrider	4.00-18 64V AM26 Roadrider
T 140 V Bonneville 750 Special	1979 -	2.0 bar (29psi)	2.2 bar (32psi)	100/90-19 57V AM26 Roadrider	110/90-18 61V AM26 Roadrider
T 150 V Trident 750	1970 1975	2.0 bar (29psi)	2.3 bar (33psi)	90/90-19 52V AM26 Roadrider	100/90-18 56V AM26 Roadrider
T 160 V Trident 750	1976 1977	2.0 bar (29psi)	2.3 bar (33psi)	410-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)	4.10-19 61H TT Universal AM9 (also 100/90-19 57V AM26 Roadrider)
TR 7 Tiger 750	1973 1983	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57V AM26 Roadrider	110/90-18 61V AM26 Roadrider
800 America Bonneville	2002 2004	2.2 bar (32psi)	2.5 bar (36psi)	100/90-18 56H AM41 Venom	170/80B15 83H AM42 Venom
800 America Bonneville	2005 -	2.3 bar (33psi)	2.7 bar (39psi)	110/90-18 61V AM26 Roadrider	170/80B15 83H AM42 Venom
800 Bonneville / T100	2001 -	2.3 bar (33psi)	2.7 bar (39psi)	100/90-19 57V AM26 Roadrider	130/80-17 65V AM26 Roadrider
Speedmaster 800	2002 2004	2.2 bar (32psi)	2.5 bar (36psi)	110/80-18 58V AM26 Roadrider	170/80B15 83H AM42 Venom
900 Adventurer	1996 1998	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (58W) AV55 Storm	150/80ZR16 (71W) AV46-ST
900 Adventurer	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	100/90-19 57H AM41 Venom	150/80B16 77H AM42 Venom
900 Daytona	- 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
900 Daytona T595	1997 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W)-190/50ZR17 (73W) AV56 Storm, AV60 Sport, VP2 S'port
900 Daytona, Super III, Speed Triple	1994 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
900 Legend TT	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR17 (69W) AV56 Storm
900 Scrambler	2006 -	2.0 bar (29psi)	2.3 bar (33psi)	100/90-19 57H AM43 Distanzia	130/80R17 65H AM44 Distanzia
900 Speedmaster	2004 -	2.1 bar (30psi)	2.5 bar (36psi)	110/80-18 58V AM26 Roadrider	170/80B15 83H AM42 Venom
900 Speed Triple	1994 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
900 Sprint ('95 On), Sprint Sports	1995 1997	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (73W) AV56 STORM, AV60 VP2 Sport
900 Sprint (To '94)	- 1994	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
900 Sprint Executive	1997 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
900 Sprint RS	2000 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
900 Sprint ST	1999 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
900 Thruxton	2004 -	2.3 bar (33psi)	2.6 bar (37psi)	100/90-18 56V AM26 Roadrider	130/80-17 65V AM26 Roadrider
900 Thunderbird Sport	1997 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/70R17 79V AV56 Storm
900 Tiger (~'98)	1993 1998	2.2 bar (32psi)	2.5 bar (36psi)	110/80R19 59H AM43 Distanzia, 59V AV45-ST	140/80 R17 69H AM44 Distanzia, (69W) AV46-ST
900 Tiger (EFI)	1999 2000	2.2 bar (32psi)	2.5 bar (36psi)	110/80R19 59H AM43 Distanzia, 59V AV45-ST	150/70 R17 69H AM44 Distanzia, (69W) AV56 Storm
900 Trophy, Sprint	1995 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
Thunderbird 900	1995 2003	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (58W) AV55 Storm	150/80ZR16 (71W) AV46-ST
Trident 900	1991 1996	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
955i Daytona	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Daytona Centennial Edition	2002 2002	2.2 bar (32psi)	2.6 bar (37psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Daytona NS (Double sided Swing Arm)	2002 2002	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	180/55ZR17 (73W) AV56 Storm
955 Daytona ST (Single sided Swing Arm)	2002 2004	2.2 bar (32psi)	2.6 bar (37psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Daytona T595, 955i	1997 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Speed Triple	2002 2004	2.2 bar (32psi)	2.6 bar (37psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Speed Triple (T509)	1997 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955 Sprint ST, RS	1999 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
955i Tiger	2001 2006	2.2 bar (32psi)	2.5 bar (36psi)	110/80R19 59H AM43 Distanzia, 59V AV45-ST	150/70 R17 69H AM44 Distanzia, (69W) AV56 Storm
1050 Tiger	2007 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
DAYTONA 1000	1991 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
Speed Triple 1050	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Sprint ST 1050	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
DAYTONA 1200 (Early)	1991 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
DAYTONA 1200 (Late)	1994 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Trophy 1200	1994 2003	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
Trophy 1200 (Early)	1991 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
2294 Rocket III / Classic	2004 -	2.5 bar (36psi)	3.0 bar (44psi)	150/80R17 72V AV71 Cobra	240/50R16 84V AV72 Cobra
2294 Rocket III Touring	2007 -	2.5 bar (36psi)	3.0 bar (44psi)	150/80R16 71V AV71 Cobra	180/70R16 77H AV72 Cobra
<b>Voxan</b>					
Café Racer	2000 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
Roadster	2000 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	180/55ZR17 (73W) AV56 Storm
<b>Yamaha</b>					
DT 80 LC2	- -	1.8 bar (26psi)	2.1 bar (30psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
DT 125 E, MX, LC, A, R	1976 1995	1.8 bar (26psi)	2.1 bar (30psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
DT 125 X	2004 -	1.8 bar (26psi)	2.1 bar (30psi)	120/70-17 58V AM26 Roadrider	140/70-17 66V AM26 Roadrider
SR 125	1982 1994	-	-	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
XT 125	1982 1994	1.8 bar (26psi)	2.0 bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
XT 125 R	2004 -	1.8 bar (26psi)	2.0 bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
XT 125 X	2004 -	1.8 bar (26psi)	2.0 bar (29psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
YBR 125	2004 -	-	-	2.75-18 No Avon Tyre Fitment for this Model	90/90-18 No Avon Tyre Fitment for this Model
YZF 125R	1980 1981	2.0 bar (29psi)	2.3 bar (33psi)	100/80-17 52V AM26 Roadrider	130/70-17 62V AM26 Roadrider
DT 175 MX	1978 1982	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.10-18 60S AM44 Distanzia
DT 200 R	1989 1994	1.8 bar (26psi)	2.0 bar (29psi)	3.00-21 51S AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
XT 225 Serow	1992 -	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
XT 240	1983 1992	1.8 bar (26psi)	2.0 bar (29psi)	90/90-21 54H AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
XVS 250 Dragstar, Virago	1999 -	-	-	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
DT 250	1973 1977	1.8 bar (26psi)	2.0 bar (29psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
DT 250 MX	1978 1982	1.8 bar (26psi)	2.0 bar (29psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
FZR 250 R	1989 -	2.3 bar (33psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	130/70-17 62V AM26 Roadrider
RD 250	1975 1981	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
RD 250 LC	1980 1984	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
RZ 250 R, RR	1983 1987	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
SR 250	1980 1984	2.0 bar (29psi)	2.3 bar (33psi)	3.00-19 54S TT Speedmaster MKII	MT90-16 74V AM26 Roadrider
SRV 250 S, T	- -	2.2 bar (32psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
TD 250	- -	2.2 bar (32psi)	2.5 bar (36psi)	100/80-17 52V AM26 Roadrider	120/80-17 61V AM26 Roadrider
TT 250 R	- -	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
TY 250 S	- -	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.00-18 64S AM44 Distanzia
TZR 250 R, SR, RS, SPR	1991 1992	2.3 bar (33psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV59 VP2 Sport	150/60ZR17 (66W) AV60 VP2 Sport
XT 250	1980 1980	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XT 250	1981 -	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	120/90-17 64S AM44 Distanzia
XVS 250 Dragstar	1999 -	1.9 bar (27psi)	2.3 bar (33psi)	3.00-18 No Avon Tyre Fitment for this Model	130/90-15 No Avon Tyre Fitment for this Model
350 R 3	1970 1970	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
350 R5	1973 1973	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
RD 350	1975 1981	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider

# Fitment Chart



ROAD

	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Yamaha</b>					
XT 350	1983 2001	2.3 bar (33psi)	2.5 bar (36psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
DT 360	1973 1975	1.8 bar (26psi)	2.0 bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.00-18 64S AM44 Distanzia
DT 400	1976 1977	1.8 bar (26psi)	2.0 bar (29psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.00-18 64S AM44 Distanzia
DT 400	1977 1981	2.0 bar (29psi)	2.3 bar (33psi)	80/90-21 48S (replaces 275-21) AM43 Distanzia	4.00-18 64S AM44 Distanzia
DT 400 MX	1978 1979	1.8 bar (26psi)	2.0 bar (29psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
FZ 400	1997 -	2.5 bar (36psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV55 Storm, AV59 VP2 Sport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport
FZR 400 RR, SP	1990 1994	2.0 bar (29psi)	2.3 bar (33psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
GX 400	- -	- -	- -	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
RD 400, C	1976 1980	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	100/90-18 56V AM26 Roadrider
SR 400	1982 1984	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
SR 400	1985 -	2.0 bar (29psi)	2.3 bar (33psi)	100/90-18 56V AM26 Roadrider	120/90-18 65V AM26 Roadrider
SRX 400	1985 1986	2.3 bar (33psi)	2.3 bar (33psi)	100/90-18 56V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XJ 400	- -	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	110/90-18 61V AM26 Roadrider
XJ 400 D, Z	- -	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
XJ 400 Diversion	- -	2.3 bar (33psi)	2.5 bar (36psi)	110/80-17 57V AM26 Roadrider	130/70-18 63V AM26 Roadrider
XJR 400	1990 1991	2.3 bar (33psi)	2.6 bar (37psi)	110/70ZR17 (54W) AV55 Storm, AV59 VP2 Sport	150/70ZR17 (69W) AV56 Storm
XS 400 C, Monoshock, Seca	1979 1983	- -	- -	No Avon Tyre Fitment for this Model	No Avon Tyre Fitment for this Model
XS 400 RK	1983 1985	2.5 bar (36psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider	MT90-16 74V AM26 Roadrider
XV 400 Drag Star	- -	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
XV 400 Virago	- -	2.0 bar (29psi)	2.3 bar (33psi)	90/90-19 52V AM26 Roadrider, 52H AM20	140/90-15 76H AM42 Venom
RD 500 LC	1984 1987	2.2 bar (32psi)	2.5 bar (36psi)	120/80-16 60V AM26 Roadrider	130/80-18 66V AM26 Roadrider
SR 500	1978 1983	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
SR 500	1992 1993	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
SR 500	1994 1995	2.0 bar (29psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	4.00-18 64V AM26 Roadrider (also 120/90-18 65V AM26 Roadrider)
XS 500	1976 1980	2.0 bar (29psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
XT 500	1976 1990	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
XV 500 SE	1983 1989	2.3 bar (33psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider	MT90-16 74V AM26 Roadrider
XV 535 Virago	1987 2000	2.0 bar (29psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20	140/90-15 76H AM42 Venom
XV 535 Virago (Oversize Rear)	1987 2000	2.0 bar (29psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20	150/90B15 80H AM42 Venom
XJ 550, Seca	1981 1985	2.0 bar (29psi)	2.3 bar (33psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
XJ 550 H-K, Maxim	1981 1983	2.5 bar (36psi)	2.5 bar (36psi)	90/90-19 52V AM26 Roadrider, 52H AM20	MT90-16 74V AM26 Roadrider, 74H AM21
XT-H-K	1982 1984	2.0 bar (29psi)	2.3 bar (33psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
XZ 550 S, RJ, RK, Vision	1982 1986	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
FJ 600 LC, NC	1984 1984	2.0 bar (29psi)	2.3 bar (33psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
FZ 600	1986 1988	2.0 bar (29psi)	2.3 bar (33psi)	100/90-16 54V AM26 Roadrider	120/80-18 62V AM26 Roadrider
FZR 600	1987 1993	2.3 bar (33psi)	2.8 bar (40psi)	110/70ZR17 (54W) AV55 Storm, 54V AM26 Roadrider	150/70ZR18 (70W) AV56 Storm, 70V AM26 Roadrider
FZR 600 R	1994 1995	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
FZS 600 Fazer	1997 2001	2.3 bar (33psi)	2.5 bar (36psi)	110/70ZR17 (54W) AV55 Storm, AV59 VP2 Sport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport
FZ6 Fazer	2004 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
SRX 600	1985 1986	- -	- -	100/80-18 No Avon Tyre Fitment for this Model	120/80-18 No Avon Tyre Fitment for this Model
SRX 600	1987 1987	2.3 bar (33psi)	2.5 bar (36psi)	100/80-17 52V AM26 Roadrider	120/80-18 62V AM26 Roadrider
SRX 600	1988 1989	2.3 bar (33psi)	2.5 bar (36psi)	110/80-17 57V AM26 Roadrider	120/80-18 62V AM26 Roadrider
SRX 600	1990 1992	2.3 bar (33psi)	2.5 bar (36psi)	110/70-17 54V AM26 Roadrider	140/70-17 66V AM26 Roadrider
TT 600	- 1998	2.3 bar (33psi)	2.5 bar (36psi)	3.00-21 51S AM43 Distanzia	4.00-18 64S AM44 Distanzia
TT 600 RE	2004 2005	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54V AM26 Roadrider	130/80-18 66V AM26 Roadrider
XJ 600	1985 1993	2.3 bar (33psi)	2.5 bar (36psi)	90/90-18 51V AM26 Roadrider	110/90-18 61V AM26 Roadrider
XJ 600 S, N DIVERSION, Seca II	1992 1998	2.3 bar (33psi)	2.8 bar (40psi)	110/80-17 57V AM26 Roadrider	130/70-18 63V AM26 Roadrider
XT 600 A, Z, Tenere	1984 1990	2.3 bar (33psi)	2.5 bar (36psi)	3.00-21 51S AM43 Distanzia	120/80-18 62S (also 4.60-18 63S) AM44 Distanzia
XT 600 E, K	1990 2003	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
YX 600 Radian	1986 1991	2.3 bar (33psi)	2.8 bar (40psi)	110/90-16 59V AM26 Roadrider	MT90-16 74V AM26 Roadrider
YZF 600 R / Thunder Cat	1995 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
YZF-R6	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
YZF-R6	2002 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
YZF-R6 / S	2005 -	2.5 bar (36psi)	2.5 bar (36psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XJ 650	1980 1985	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XJ 650 Turbo	1982 1987	2.3 bar (33psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XS 650	1975 1985	2.5 bar (36psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64H, 110/90-18 61V AM26 Roadrider
XS 650 S, SE	1975 1985	2.5 bar (36psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
XVS 650 A Dragstar Classic, Shadow	1998 -	2.5 bar (36psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
XVS 650 A V Star Classic, Shadow, Silverado	1998 -	2.5 bar (36psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
XVS 650 Drag Star, V Star Custom	1996 2004	2.5 bar (36psi)	2.5 bar (36psi)	110/90-19 62H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
XVS 650 V Star Custom	2007 -	2.5 bar (36psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom (also WW)	170/80B15 83H AM42 Venom (also WW)
MTR-03	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
SZR 660	1995 1998	2.3 bar (33psi)	2.6 bar (37psi)	110/70ZR17 (54W) AV59 VP2 Sport	150/60ZR17 (66W) AV60 VP2 Sport
XTF 660 Tenere, Marathon	1990 -	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54T AM43 Distanzia	120/90-17 64S AM44 Distanzia
XT 660 R	2004 -	2.0 bar (29psi)	2.25 bar (32psi)	90/90-21 54T AM43 Distanzia, AM24 Gripster	130/80-17 65T AM44 Distanzia, AM24 Gripster
XT 660 X	2004 -	2.2 bar (32psi)	2.3 bar (33psi)	120/70ZR17 (58W) AV59 VP2 Sport, VP2 Supersport, 58H AM43 Distanzia	160/60ZR17 (69W) AV60 VP2 Sport, VP2 Supersport, 69H AM44 Distanzia
XJ 700 XN-C, S Maxim	1985 1986	2.5 bar (36psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
XV 700 Virago	1984 1987	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
FZR 750 R (0W01)	1989 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
FZR 750 R Genesis	1987 1989	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
FZX 750 R	1988 1994	2.7 bar (39psi)	2.9 bar (42psi)	110/90-16 59V AM26 Roadrider	140/90-15 76H AM42 Venom
TX 750	1973 1975	2.2 bar (32psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XJ 750	1983 1986	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XJ 750 J-R, Maxim	1982 1983	2.5 bar (36psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
XJ 750 RH, RJ, RK, Seca	1981 1985	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
XS 750 / SE	1976 1981	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
XTZ 750 Super Ténéré	1989 1996	2.3 bar (33psi)	2.5 bar (36psi)	90/90-21 54H AM43 Distanzia	140/80R17 69H AM44 Distanzia
XV 750 SE	1980 1983	2.3 bar (33psi)	2.7 bar (39psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
XV 750 Virago	1984 1998	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
YZF 750 R, RSP	1993 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
YZF R7	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
TDN 850	1991 2001	2.5 bar (36psi)	2.9 bar (42psi)	110/80ZR18 (58W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
TRX 850	1995 1999	2.5 bar (36psi)	2.9 bar (42psi)	120/60ZR17 (55W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	160/60ZR17 (69W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XS 850	1979 1983	2.3 bar (33psi)	2.5 bar (36psi)	3.25-19 54V AM26 Roadrider	4.00-18 64V AM26 Roadrider
TDN 900	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR18 (59W) AV55 Storm	160/60ZR17 (69W) AV56 Storm
XJ 900, Seca II	1983 1992	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	120/90-18 65V AM26 Roadrider
XJ 900 S Diversion, Seca II	1994 2000	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	150/70ZR17 (69W) AV56 Storm
1000 TR1	1981 1983	2.0 bar (29psi)	2.0 bar (29psi)	3.25-19 54V AM26 Roadrider	120/90-18 65V AM26 Roadrider
FZS 1000 Fazer FZ1	2001 2004	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport

# Fitment Chart



	Year	Pressure Front	Pressure Rear	Recommended Fitment Front	Recommended Fitment Rear
<b>Yamaha</b>					
FZ 1 1000 Fazer	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
FZR 1000 Exup	1989 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	170/60ZR17 (72W) or 180/55ZR17 (73W) AV46-ST, AV60 VP2 Sport, VP2 Supersport
FZR 1000 Genesis	1987 1988	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	160/60ZR18 (70W) AV56 Storm
GTS 1000, GTS1000/A	1993 1995	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XV 1000 SE Virago	1983 1984	2.5 bar (36psi)	2.9 bar (42psi)	90/90-19 52V AM26 Roadrider, 52H AM20	MT90-16 74V AM26 Roadrider, 74H AM21
XV 1000 Virago	1986 1999	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	140/90-15 76H AM42 Venom
YZF 1000 R Thunder Ace	1996 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
YZF-R1	1998 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
BT1100 Bulldog	2002 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
FJ 1100	1984 1987	2.5 bar (36psi)	2.9 bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
XS 1100	1978 1983	2.3 bar (33psi)	2.5 bar (36psi)	100/90-19 57V AM26 Roadrider	130/90-17 68V AM26 Roadrider
XS 1100 LG-H	1980 1982	2.3 bar (33psi)	2.6 bar (37psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom	MT90-16 74V AM26 Roadrider, MT90B16 74H AM42 Venom
XV 1100 Virago	1988 1999	2.3 bar (33psi)	2.8 bar (40psi)	100/90-19 57H AM41 Venom	140/90-15 76H AM42 Venom
XV 1100 Virago (Oversize Rear)	1988 1997	2.3 bar (33psi)	2.8 bar (40psi)	100/90-19 57V AM26 Roadrider, 57H AM41 Venom (also WW)	150/90B15 80H AM42 Venom (also WW)
KVS 1100, 1100 A, Drag Star, Custom	1999 2004	2.3 bar (33psi)	2.5 bar (36psi)	110/90-18 61V AM26 Roadrider	170/80B15 83H AM42 Venom
KVS 1100A Drag Star Classic	2000 -	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
1100 V Star /Classic / Silverado	2000 -	2.3 bar (33psi)	2.5 bar (36psi)	MT90B16 74H AM41 Venom	170/80B15 83H AM42 Venom
FJ 1200	1986 1987	2.5 bar (36psi)	2.9 bar (42psi)	120/80ZR16 (60W) AV45-ST	150/80ZR16 (71W) AV46-ST
FJ 1200	1988 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm	150/80ZR16 (71W) AV46-ST
VMX 1200 V Max	1985 2004	2.5 bar (36psi)	2.9 bar (42psi)	110/90-18 61V AM26 Roadrider	150/90B15 74V AM42 Venom
XJR 1200	1994 1998	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	170/60ZR17 (72W) AV56 STORM, AV60 VP2 Sport
XVZ 1200 T Venture Royal	1984 1990	2.5 bar (36psi)	2.9 bar (42psi)	120/90-18 71H AM41 Venom	140/90B16 77H AM42 Venom
FJR 1300A / AS	2001 2005	2.7 bar (39psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
FJR 1300A / AS / AE	2006 -	2.7 bar (39psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XJR 1300	1999 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport, VP2 Supersport	180/55ZR17 (73W) AV56 Storm, AV60 VP2 Sport, VP2 Supersport
XVZ 1300 Royal Star, Boulevard, Cheyenne	1999 2001	2.5 bar (36psi)	2.9 bar (42psi)	150/80-16 71H AM41 Venom	150/90B15 80H AM42 Venom
XVZ 1300 Royal Star, Venture, Classic, Tour Deluxe	1995 -	2.5 bar (36psi)	2.9 bar (42psi)	150/80-16 71H AM41 Venom	150/90B15 80H AM42 Venom
XVZ 1300 T D Venture Royal	1986 1993	2.5 bar (36psi)	2.9 bar (42psi)	120/90-18 71H AM41 Venom	140/90B16 77H AM42 Venom
V Star 1300 /Tourer	2007 -	-	-	130/90-16 No Avon Tyre Fitment for this Model	170/70-16 No Avon Tyre Fitment for this Model
1600 Road Star, Silverado, Wildstar	1999 2004	2.9 bar (42psi)	3.0 bar (44psi)	130/90-16 No Avon Tyre Fitment for this Model	170/70-16 No Avon Tyre Fitment for this Model
Road Star 1700 / Midnight / Silverado	2006 -	2.9 bar (42psi)	3.0 bar (44psi)	MT90B16 74H AM41 Venom (also WW)	150/80B16 77H AM42 Venom, 77V AM42 Venom (also WW)
XV 1700 Road Star Warrior	2003 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR18 (59W) AV55 Storm	200/50ZR17 (75W) AV56 Storm
1700 MT-01	2005 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) AV55 Storm, AV59 VP2 Sport	190/50ZR17 (73W) AV56 Storm, AV60 VP2 Sport
1700 Midnight Warrior	2006 -	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR18 (59W) AV55 Storm	200/50ZR17 (75W) AV56 Storm
XV 1900 Stratoliner / S / Midnight Star	2006 -	-	-	130/70R18 No Avon Tyre Fitment for this Model	190/60R17 No Avon Tyre Fitment for this Model
1854 Roadliner / S / Midnight	2006 -	-	-	130/70R18 No Avon Tyre Fitment for this Model	190/60R17 No Avon Tyre Fitment for this Model
1854 Raider / S	2008 -	-	-	120/70-21 No Avon Tyre Fitment for this Model	210/40R18 No Avon Tyre Fitment for this Model

ROAD





© Copyright 2009 Pro Accessories Australia  
© Copyright 2009 Avon Tyres